



HBJC160F796 Series

Intel® Coffee Lake CPU, DDR4 up to 64GB



1. Intel® Coffee Lake Processor (TDP 65W).
2. 2 * DDR4-2400 SO-DIMM Up to 64GB memory
3. 6 * USB3.1 , 1 * VGA , 1 * DP , 1 * HDMI , 2 * RJ45 , 2 * COM
4. Support 4 * SATA Device (RAID 0, 1, 5, 10)
5. Optional Onboard TPM 2.0
6. M/B Form Factor : Mini ITX (170x170mm)
7. 1U 300W FLEX Power




External I/O

Front



Rear



Application


- Industrial PCs
- Public Sector
- Digital Security
- Surveillance

Specifications

MB Model	<ul style="list-style-type: none"> ● JNF796-Q370 / JNF796M-Q370
Part No	<ul style="list-style-type: none"> ● HBJC160F796-Q370S ● HBJC160F796-Q370M
BIOS	<ul style="list-style-type: none"> ● AMI Flash ROM
CPU/Chipset	<ul style="list-style-type: none"> ● Intel® LGA1151 Coffee Lake Processor (Max. TDP 65W)
Memory	<ul style="list-style-type: none"> ● 2 *SO-DIMM Dual CH DDR4-2400MHz (Max 64 GB)
Graphics	<ul style="list-style-type: none"> ● Intel® HD Graphics
Storage	<ul style="list-style-type: none"> ● 4 * 2.5" or 3.5" SATA 6Gb/s_ internal drive bay ● 1 * M.2 M-key 2242/2280 (SATA/PCIe x4) support NVMe
Network	<ul style="list-style-type: none"> ● 2 * Intel Gigabit LAN (1 * i219LM, 1 * i211AT) ● 1 * M.2 E-key 2230(PCIe x1/USB2.0) support CNVi
Rear Panel I/O	<ul style="list-style-type: none"> ● 6 * USB 3.1 (4 * USB 3.1 (Gen. 2) & 2 * USB3.1 (Gen. 1) ● 1 * VGA (Max Resolution: 1920x1200@60Hz) ● 1 * HDMI (Max Resolution: 4096x2160@30Hz) ● 1 * DP(Max Resolution: 4096x2304@60Hz) ● 2 * RJ45 ● 2 * COM (support RS232/422/485) ● 1 * Line-In, 1 * Line-Out, 1*MIC
Front Panel I/O	<ul style="list-style-type: none"> ● 1 * Power button , 1 * Reset button ● 1 * Power LED , 1 * HDD LED ● 2 * USB 2.0
Internal expansion	<ul style="list-style-type: none"> ● Optional Onboard TPM 2.0 ● SIM card slot
Power Source	<ul style="list-style-type: none"> ● AC 90~240V input / 1U 300W FLEX POWER
Certifications	<ul style="list-style-type: none"> ● CE, FCC , LVD , RoHS
Temperature	<p>Operating Temperature: 0 ~ 40° C</p> <p>Storage Temperature: -10 ~ 70° C</p>
Dimensions	<ul style="list-style-type: none"> ● 430 (W) x 452 (D) x 44 (H) mm
Packing	<ul style="list-style-type: none"> ● Net Weight: 4.0KG ● Gross Weight: 4.8KG ● Color Box dimension: 560 (W) * 600 (D) * 140 (H) mm
OS Support	Windows 10
Warranty	2 Year limited warranty

*Specifications subject to change without notice, not responsible for typographical errors. Does not include HDD or OS.

Mechanical Drawings (Unit = mm)



Accessories

Parts Number	Description
	HBJC160F796 Series
Change according to shipping area	Power cord
G01-SATA3-BL-1F	SATA3 CABLE L=50cm
LCSCJC150-F	SCREW PACKAGE

Tel: +886-2-89132711 E-mail: sales@jetway.com.tw Web: www.jetwayipc.com
Support: technic@jetway.com.tw or support_team@jetway.com.tw