


OPS101-7200

Intel® kaby Lake I5-7200U, 2* DDR4/2400MHz SO-DIMM, 1* M.2 SSD and 1* SATAIII connector



1. Intel® Kaby Lake I5-7200U processor
2. Support 2* DDR4 SO-DIMM Max 32GB
3. Support 1* M.2 2242 SSD Socket and 1* SATA3 Connector
4. Support 1* M.2 1630 or 2230 for WIFI
5. Realtek® RTL8111H Gigabit LAN
6. 1* JAE 80pin Connector (1* HDMI2.0, 1* USB3.0, 2* USB2.0, 1* TX/RX, 1* Power Button, 1* DC-in)
7. 2* USB3.0, 2* USB2.0, 1*HDMI, 1* Line-Out, MIC, 1* IR
8. 12~24V DC-in

External I/O




Specifications

MB Model	JNC9C-OPS7200 (EPIC Size)
Part No	OPS101-7200
CPU/Chipset	Intel® Kaby Lake-U I5-7200 processor
Memory	2 * DDR4 SO-DIMM up to 32GB
Expansion Slot	<ul style="list-style-type: none"> ● 2* DDR4 SO-DIMM up to 32GB ● 1* M.2 2242 connector (AW-CB231NF Wireless LAN and Bluetooth Combo Module)
Storage	<ul style="list-style-type: none"> ● 1 * SATAIII 6Gb/s connector ● Support 1* 256GB M.2 2242MHz SSD
Audio	<ul style="list-style-type: none"> ● ALC662 Audio CODEC ● HD Audio CODEC
Network	<ul style="list-style-type: none"> ● 1 * Realtek® RTL8111H Chip ● 10/100/1000 Base-T Ethernet
Rear Panel I/O	<ul style="list-style-type: none"> ● 1 * RJ45 ● 1 * HDMI (Support 4096*2304@24Hz) ● 1 * Line-out + 1 * MIC ● 2 * USB3.0 ● 2 * USB2.0 ● 1 * IR ● 1 * Power Button, 1 * Reset Button ● 1 * Power LED, HDD LED ● 2 * WIFI Antenna
JAE Connector	<ul style="list-style-type: none"> ● 1 * HDMI2.0 (Support 4096*2160@60Hz) ● 1 * USB3.0 ● 2 * USB2.0 ● 1 * RX/TX ● 1 * Power Switch ● 1 * DC-in
Power Source	DC 12~24V
Compliance	RoHS, ErP Ready
Temperature	Operating Temperature: -10~60 ° C Storage Temperature: -20-65 ° C
Dimensions	202 (W) x 118 (D) x 30 (H) mm
OS Support	Windows 10, Linux
Warranty	1 Year limited warranty

* Specifications subject to change without notice, not responsible for typographical errors

Mechanical Drawings (Unit = mm)



Accessories

Parts Number	Description
-----	OPS101-7200
	2* WIFI Antenna